

MATERIAL SAFETY DATA SHEET

J. M. SADDLER, INC.
9107 RIVERSTONE COURT
COLLEGE STATION, TX 77845

OCTOBER, 2017

EMERGENCY TELEPHONE NUMBER: (979) 693-5114 or (800) 627-2807

PRODUCT NAME: SADDLER'S® BLANKET WASH

FORMULA: PROPRIETARY

CHEMICAL FAMILY: ALKYL SULFATE

*NFPA RATINGS:

FIRE: 1
HEALTH: 1
REACTIVITY: 0
SPECIFIC HAZARD: IRRITANT

DEGREE OF HAZARD:

4 SEVERE
3 SERIOUS
2 MODERATE
1 SLIGHT
0 MINIMAL

SECTION I: HAZARDOUS INGREDIENTS

NOT APPLICABLE

SECTION II: PHYSICAL DATA

BOILING POINT: 212 DEGREES F

PERCENT VOLATILE: 70% (w/w)

VAPOR PRESSURE: NOT DETERMINED OR UNKNOWN
VAPOR DENSITY: ESTIMATED LIGHTER THAN AIR
EVAPORATION RATE: ESTIMATED SLOWER THAN ETHYL ETHER
PH VALUE: 7.8 @ 10%
FREEZING POINT: 5 C
APPEARANCE: WATER WHITE LIQUID

SECTION III: HEALTH HAZADARDS

EFFECTS OF OVEREXPOSURE/EMERGENCY AND FIRST AID PROCEDURES:

EYES: *CONTACT WITH EYES IS PAINFUL AND IRRITATING
*FLUSH EYES IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.

SKIN: *PROLONGED OR REPEATED CONTACT WITH SKIN CAUSES IRRITATION.
*WASH OFF SKIN WITH WATER. REMOVE CONTAMINATED CLOTHING AND CLEAN BEFORE REUSE.

INHALATION: *MIST CAUSED BY MANUFACTURING OPERATIONS IRRITATES NASAL PASSAGES.
*IF VAPORS OR MIST CAUSE IRRITATION OR DISTRESS, REMOVE TO FRESH AIR. GIVE OXYGEN OR APPLY ARTIFICIAL RESPIRATION, IF NEEDED.

INGESTION: *IF SWALLED, CONSULT A PHYSICIAN IMMEDIATELY.

CHRONIC EFFECTS AND MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:

CHRONIC EFFECTS AND MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE TO THIS POINT HAVE NOT BEEN ESTABLISHED. UNNECESSARY EXPOSURE TO THIS PRODUCT OR ANY CHEMICAL SHOULD BE AVOIDED.

IF ANY SYMPTOMS PERSIT, CONSULT A PHYSICIAN.

CARCINOGEN: THIS PRODUCT IS NOT CONSIDERED A CARCINOGEN BY OSHA, NTP,
OR IARC.

SECTION IV: FIRE AND EXPLOSION DATA

FLASH POINT: 201 F 94

FLAMMABILITY LIMITS: UPPER: NA
LOWER: NA

EXTINGUISHING MEDIA: NON FLAMMABLE. WATER SOLUTION

SPECIAL FIRE FIGHTING PROCEDURES: SELF CONTAINED POSITIVE PRESSURE
BREATHING APPARATAS AND PROTECTIVE
CLOTHING SHOULD BE WORN IN FIGHTING
FIRES INVOLVING CHEMICALS.

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE KNOWN.

SECTION V: REACTIVITY DATA

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

INCOMPATABILITY (MATERIALS TO AVOID): STRONG OXIDIZING AGENTS.
STRONG ACID.

HAZARDOUS DECOMPOSITION PRODUCTS: SULFUR DIOXIDE AND HYDROGEN

SULFIDE.

SECTION VI: SPILL, LEAK AND DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

CONTAIN ALL SPILLS AND LEAKS TO PREVENT DISCHARGE INTO THE ENVIRONMENT.

SMALL SPILLS: SOAK UP WITH ABSORBENT, SHOVEL INTO WASTE CONTAINER, FLUSH AREA WITH WATER.

LARGE SPILLS: RECOVER LIQUID FOR REPROCESSING OR DISPOSAL.

CAUTION, SPILLED MATERIAL IS SLIPPERY.
WASH HANDS AFTER HANDLING.

WASTE DISPOSAL METHOD:

RECOVER MATERIAL OR DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS. MATERIAL COLLECTED WITH ABSORBANT MAY BE DISPOSED IN A PERMITTED LANDFILL IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL REGULATIONS. EMPTY CONTAINER MAY RETAIN VAPOR OR PRODUCT RESIDUE. OBSERVE ALL SAFEGUARDS UNTIL CONTAINER IS CLEANED OR DESTROYED.

SECTION VII: SPECIAL PROTECTIVE INFORMATION

EYE PROTECTION: WEAR FULL FACE SHIELD OR GOGGLES WHEN HANDLING.

PROTECTIVE GLOVES: USE IMPERVIOUS GLOVES.

RESPIRATORY PROTECTION: IF VAPORS ARE PRESENT, USE NIOSH OR MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS, AIR-LINE RESPIRATOR OR A SELF-CONTAINED BREATHING APPARATUS.

VENTILATION: USE ADEQUATE VENTILATION.

OTHER PROTECTIVE EQUIPMENT: WEAR PROTECTIVE CLOTHING TO PREVENT REPEATED OR PROLONGED CONTACT. EYE WASH STATION AND SAFETY SHOWER SHOULD BE NEAR WORK AREA.

THIS INFORMATION HAS BEEN OBTAINED FROM SOURCES BELIEVED TO BE RELIABLE. NO WARRANTY EXPRESSED OR IMPLIED IS MADE. ALL MATERIALS PRESENT UNKNOWN HAZARDS. USE CAUTION !!!