

SAFETY DATA SHEET

1. Identification

Product identifier	Painaway Cream		
Other means of identification			
Product code	THP0010		
Recommended use	External equine lotion.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Company name	Tenda Horse Products, LLC.		
Address	18400 North Liberty Road		
	Fredericktown, OH 43019 US		
Telephone	General Assistance: 740-694-8836		
Website	www.Tendahorse.com		
E-mail	Sales@Tendahorse.com		
Contact person	Todd Mizer		
Emergency phone number	24 Hour: CHEMTREC 800-424-9300		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	None.		
Hazard statement	The mixture does not meet the criteria for classification.		
Precautionary statement			
Prevention	Observe good industrial hygiene practices.		
Response	Wash hands after handling.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accordance with local authority requirements.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Propylene Glycol	57-55-6	5 - < 10
Isopropanol	67-63-0	1 - < 3
Other components below reportable levels		90 - 100

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.

Painaway Cream

Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	The product is not flammable.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7 Handling and storage	

7. Handling and storage

Precautions for safe handlingAvoid prolonged exposure. Observe good industrial hygiene practices.Conditions for safe storage,
including any incompatibilitiesStore in original tightly closed container. Store away from incompatible materials (see Section 10
of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Isopropanol (CAS 67-63-0)	PEL	980 mg/m3	
		400 ppm	
US. ACGIH Threshold Limit Values	5		
Components	Туре	Value	
Isopropanol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	
Isopropanol (CAS 67-63-0)	STEL	1225 mg/m3	
		500 ppm	
	TWA	980 mg/m3	
		400 ppm	

US. Workplace Environmental Exposure Level (WEEL) Guides

0	T	_			Form
Components	Туре			/alue	-
Propylene Glycol (CAS 57-55-6)	TWA	l l	1	0 mg/m3	Aerosol.
iological limit values					
ACGIH Biological Exposu	re Indices				
Components	Value	Determinant	Specimen	Sampling Time	9
Isopropanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*	
* - For sampling details, ple	ase see the source doc	ument.			
ontrols idividual protection measure	or other engineerin exposure limits hav	g controls to maintaire not been establis	ain airborne lev shed, maintain	els below recomm	, local exhaust ventilation ended exposure limits. If an acceptable level.
Eye/face protection	Wear safety glasse				
Skin protection Hand protection	Wear appropriate c	hemical resistant g	loves.		
Skin protection					
Other	Wear suitable prote	0		atam (a su in manut	
Respiratory protection		In case of insufficient ventilation, wear suitable respiratory equipment.			
Thermal hazards	Wear appropriate the	hermal protective c	lothing, when n	ecessary.	
eneral hygiene onsiderations	Always observe go and before eating, equipment to remo	drinking, and/or sm			er handling the material ing and protective

9. Physical and chemical properties

Appearance		
Physical state	Liquid.	
Form	Viscous liquid.	
Color	Light red.	
Odor	Wintergreen	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits		
Flammability limit - lower Not available (%)		
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Soluble.	

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	/

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.	
Chemical stability	Material is stable under normal conditions.	
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.	
Conditions to avoid	Contact with incompatible materials.	
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products	Carbon oxides. Nitrogen oxides.	

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Do not ingest.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.	

Information on toxicological effects

Acute toxicity	Not known.	
Components	Species	Test Results
Isopropanol (CAS 67-63-0)		
Acute		
Dermal		
LD50	Rabbit	12870 mg/kg
Oral		
LD50	Rat	4710 mg/kg
Propylene Glycol (CAS 57-55-6)		
Acute		
Dermal		
LD50	Rabbit	20800 mg/kg
Oral		
LD50	Rat	22000 mg/kg
* Estimates for product may be	based on additional component data not shown.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation	n.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization	on.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	

Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Isopropanol (CAS 67-63- NTP Report on Carcinogens	, , , , , , , , , , , , , , , , , , , ,		
Not listed. OSHA Specifically Regulate Not regulated.	d Substances (29 CFR 1910.1001-1050)		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

		e 1 1	00	
Components		Species	Test Results	
Isopropanol (CAS 67-	63-0)			
Aquatic				
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours	
Propylene Glycol (CA	S 57-55-6)			
Aquatic				
Acute				
Algae	EC50	Selenastrum capricornutum	19000 mg/l, 72 hours	
Crustacea	LC50	Ceriodaphnia	18340 mg/l, 48 hours	
Fish	LC50	Pimephales promelas	46500 mg/l, 96 hours	

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	
Mobility in soil	The product is soluble in water.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

15. Regulatory information	n			
US federal regulations	This product is not kno Communication Standa		s Chemical" as defined by the 0.	e OSHA Hazard
TSCA Section 12(b) Export	Notification (40 CFR 70	7, Subpt. D)		
Not regulated. OSHA Specifically Regulate	d Substances (29 CFR	1910.1001-1050)		
Not regulated. CERCLA Hazardous Substa	nce List (40 CFR 302.4)			
Not listed.				
Superfund Amendments and Re				
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No			
SARA 302 Extremely hazard	dous substance			
Not listed.				
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.	
Isopropanol		67-63-0	1 - < 3	
Other federal regulations				
Clean Air Act (CAA) Section	112 Hazardous Air Pol	lutants (HAPs) List		
Not regulated. Clean Air Act (CAA) Section	n 112(r) Accidental Rele	ase Prevention (40 C	FR 68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations				
US. Massachusetts RTK - S	ubstance List			
Isopropanol (CAS 67-63- US. New Jersey Worker and	,	now Act		
Isopropanol (CAS 67-63-				
Propylene Glycol (CAS 5		Ka awalawa		
US. Pennsylvania Worker an Isopropanol (CAS 67-63-				
Propylene Glycol (CAS 5				
US. Rhode Island RTK	,			
Isopropanol (CAS 67-63-	0)			
US. California Proposition 6 WARNING: This product		wn to the State of Calif	ornia to cause cancer.	
US - California Proposit	tion 65 - Carcinogens &	Reproductive Toxici	ty (CRT): Listed substance	•
Diethanolamine (CA	S 111-42-2)			
International Inventories				
Country(s) or region	Inventory name			On inventory (yes/no)*
Australia	Australian Inventory of	Chemical Substances	(AICS)	Yes
Canada	Domestic Substances	List (DSL)		Yes
Canada	Non-Domestic Substar	nces List (NDSL)		No
China	Inventory of Existing C	hemical Substances in	China (IECSC)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	21-September-2016
Revision date	-
Version #	01
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0
Disclaimer	Tenda Horse Products, LLC. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.