# SAFETY DATA SHEET



# 1. Identification

Product identifier	Tenda Clay		
Other means of identification			
SDS number	THP0016		
Product code	THP0016		
Recommended use	For consumer manufacturing of equine leg clay and hoof packing.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Company name Address	Tenda Horse Products, LLC. 18400 North Liberty Road Fredericktown, OH 43019 US		
Telephone Website E-mail Contact person	General Assistance: 740-694-8836 www.Tendahorse.com Sales@Tendahorse.com Todd Mizer		
Emergency phone number	24 Hour: CHEMTREC 800-424-9300		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	None.		
Hazard statement	The mixture does not meet the criteria for classification.		
Precautionary statement			
Prevention	Observe good industrial hygiene practices.		
Response	Wash hands after handling.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accordance with local authority requirements.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%	
Ball clay	1332-58-7	100	
Constituents			
Chemical name	CAS number	%	
Kaolinite	1318-74-7	>= 60	
Crystalline Silica	14808-60-7	5 - < 30	
Titanium dioxide	13463-67-7	0 - < 3	

# 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.	
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.	
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if symptoms occur.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.	
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	

# 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	The product is not flammable.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Collect dust using a vacuum cleaner equipped with HEPA filter. If not possible, gently moisten dust before it is collected with shovel, broom or the like. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

### **Occupational exposure limits**

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Ball clay (CAS 1332-58-7)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Constituents	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910	0.1000)		
Constituents	Туре	Value	Form
Crystalline Quartz (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
,		0.1 mg/m3	Respirable.

# US. OSHA Table Z-3 (29 CFR 1910.1000)

Constituents	Туре	Value	Form	
		2.4 mppcf	Respirable.	
US. ACGIH Threshold Limit	t Values			
Components	Туре	Value	Form	
Ball clay (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.	
Constituents	Туре	Value	Form	
Kaolinite (CAS 1318-74-7)	TWA	1 mg/m3	Respirable fraction.	
Crystalline Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3		
US. NIOSH: Pocket Guide t	o Chemical Hazards			
Components	Туре	Value	Form	
Ball clay (CAS 1332-58-7)	TWA	5 mg/m3	Respirable.	
,		10 mg/m3	Total	
Constituents	Туре	Value	Form	
Crystalline Quartz (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.	
logical limit values	No biological exposure limits noted t	or the ingredient(s).		
propriate engineering htrols ividual protection measures	Good general ventilation (typically 1 should be matched to conditions. If a or other engineering controls to main exposure limits have not been estab , such as personal protective equipr	applicable, use process enclosur ntain airborne levels below recon lished, maintain airborne levels t	es, local exhaust ventilatio nmended exposure limits. I	
Eye/face protection	Wear safety glasses with side shield	ls (or goggles).		
Skin protection Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.			
Skin protection Other	Wear suitable protective clothing.			
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.			
Thermal hazards	Wear appropriate thermal protective			
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			
Physical and chemical	properties			
pearance	Brown colored powder.			
Physical state	Solid.			
Form	Powder.			
Color	Brown.			
or	Musty.			
or threshold	Not available.			
	Not available.			
Iting point/freezing point	Not available.			
ial boiling point and boiling	Not available.			
ge sk naint	Net evelople			

Not available.

Not available.

Flash point

Evaporation rate

Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

Acute t	oxicity
---------	---------

Components	Species	Test Results
Ball clay (CAS 1332-58-7)		
Acute		
Dermal		
LD50	Rat	> 5000 mg/kg
Inhalation		
LC50	Rat	> 2 mg/l, 4 Hours
Oral		
LD50	Rat	> 5000 mg/kg

Constituents	Species		Test Results	
Titanium dioxide (CAS 13463-67-7	7)			
Acute				
Inhalation				
LC50	Rat		3.43 mg/l, 4 Hours	
Oral				
LD50	Rat	> 5000 mg/kg		
* Estimates for product may b	e based on additional compone	nt data not shown.		
Skin corrosion/irritation	Prolonged skin contact may c	ause temporary irritatio	n.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.			
Respiratory or skin sensitization	1			
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.			
IARC Monographs. Overall	Evaluation of Carcinogenicity			
Quartz (CAS 14808-60-7)		1 Carcinogenic to humans.		
Titanium dioxide (CAS 13463-67-7)		2B Possibly carcinogenic to humans.		
NTP Report on Carcinogens				
Quartz (CAS 14808-60-7 OSHA Specifically Regulate	) d Substances (29 CFR 1910.1	Known To Be Humar 001-1050)	n Carcinogen.	
Not regulated.				
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be harmful. Respirable crystalline silica (quartz) can cause silicosis, a fibrosis (scarring) of the lungs.			

# **12. Ecological information**

Ecotoxicity

The	product is not cla	ssified as environme	entally hazardous.	However, t	his does not exclud	de the
pos	sibility that large o	or frequent spills can	have a harmful or	damaging	effect on the enviro	onment.

Components		Species	Test Results
Ball clay (CAS 1332-5	8-7)		
Aquatic			
Acute			
Crustacea	LC50	Daphnia magna	> 1.1 g/l, 48 Hours
Constituents		Species	Test Results
Titanium dioxide (CAS	13463-67-7)		
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	> 100 mg/l, 48 Hours
Fish	LL50	Oryzias latipes	> 100 mg/l, 96 Hours

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	The product is insoluble in water.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

# Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

### US state regulations

US. Massachusetts RTK - Substance List

Ball clay (CAS 1332-58-7) Quartz (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)

#### US. New Jersey Worker and Community Right-to-Know Act

Ball clay (CAS 1332-58-7) Quartz (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Ball clay (CAS 1332-58-7) Quartz (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)

# US. Rhode Island RTK

Not regulated.

### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Quartz (CAS 14808-60-7) Titanium dioxide (CAS 13463-67-7)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	17-May-2016
Revision date	-
Version #	01
HMIS® ratings	Health: 0 Flammability: 0 Physical hazard: 0
List of abbreviations	PEL: Permissible Exposure Limit. TWA: Time weighted average.
Disclaimer	Tenda Horse Products, LLC. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.