



SAFETY DATA SHEET (SDS)

SECTION 1: IDENTIFICATION

Product Name: **Kool Out Poultice**

Synonyms: None

Finish Line Inc. Product #: 05

Product Type: Externally applied poultice for horses' legs.

Manufacturer: Finish Line Horse Products Inc.

Address: PO Box 1000, Bensenville IL 60106

Telephone: 800-762-4242 Emergency: 630-694-0000

Website: www.finishlinehorse.com

Recommended use: For temporary relief of minor soreness and stiffness caused by overexertion.

SECTION 2: HAZARD IDENTIFICATION

Warning: May be irritating to eyes and mucous membranes. Keep out of reach of children.



SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT LIST: Aluminum silicate, Montmorillonites, Water, Boric acid, Glycerine,

<u>INGREDIENT</u>	<u>CAS#</u>
Aluminum silicate	12141-46-7
Montmorillonites	1318-93-0
Water	7732-18-5
Glycerol	56-81-5
Boric acid	10043-35-3

Actual ingredient percentages are proprietary; trade secret.

SECTION 4: FIRST AID MEASURES

EXPOSURE ROUTE	SYMPTOM	TREATMENT
Inhalation	Irritation	Bring to well ventilated area
Skin contact	Skin irritant	Wash with warm water for 15 minutes. Seek medical attention if irritation persists.
Eye contact	Eye irritant	Rinse eyes with cool water for 15 minutes. Seek medical attention if irritation persists.
Ingestion	Potential stomach upset	Seek medical attention for any symptoms.

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point:	Does not flash below 212 F.
Extinguishing Media:	Water, foam.
Other required equipment:	Face mask, gloves, suitable protective clothing.
Special precautions:	None

SECTION 6: ACCIDENTAL RELEASE PROCEDURES

PERSONAL PRECAUTIONS: Keep unnecessary personnel away. Wear appropriate protective equipment (gloves, face mask, safety glasses) if in contact with spilled product.

CLEANUP PROCEDURES: Scrape or shovel spillage and transfer to plastic container for disposal. Clean surface thoroughly to remove residual contamination. Dispose of in accordance with local regulations.

ENVIRONMENTAL PRECAUTIONS: N/A.

SECTION 7: HANDLING AND STORAGE

Store in a cool, dry place, optimum 60-80 degrees F.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS / THRESHOLDS: None.

ENGINEERING CONTROLS: None.

PERSONAL PROTECTIVE EQUIPMENT: Not needed for normal container handling. Keep containers closed. If spilled, use gloves, face mask and safety glasses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Odor: Light tan, heavy clay/water.

pH: N/A

Boiling point/range: Does not boil. Does not melt.

Flash Point: Does not flash below 212 Deg.F

Explosive properties: Not applicable.

Oxidizing properties: Not oxidizing.

Specific gravity: Dense clay with water.

Solubility (water, 20 Deg.C): Disperses in water. Mostly insolubles.

SECTION 10: STABILITY AND REACTIVITY

STABILITY:

Stable. Store in a cool, dry place, out of direct sunlight.

CONDITIONS TO AVOID:

Avoid temperature extremes.

MATERIALS TO AVOID:

N/A.

HAZARDOUS DECOMPOSITION PRODUCTS:

N/A.

SECTION 11: TOXICOLOGICAL INFORMATION

Numerical Measures of toxicity:

Boric acid Oral, mouse: LD50 = 3450 mg/kg

Glycerol Oral, mouse: LD50 = 4090 mg/kg

Acute and chronic effect: Eye, skin irritation, allergic response.

Related symptoms: None.

Routes of exposure: Respiratory, oral, skin exposure.

SECTION 12: ECOLOGICAL INFORMATION

Aquatic or terrestrial toxicity tests: N/A

Potential for environmental persistence: N/A

Bioaccumulation potential: N/A

Adsorption or leaching studies: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate disposal container: Plastic containers/buckets, closed

Recommendation of appropriate disposal method: Scrape/shovel into plastic container.

Physical and chemical properties that may affect disposal method: Thick clay/water mixture.

Sewage disposal: Per local guideline/regulation.

Precautions for landfill or incineration: N/A

SECTION 14: TRANSPORT INFORMATION

UN number (4-digit ID): N/A

UN proper shipping name: N/A

Transport hazard class: N/A

Packing group no (based on degree of hazard): N/A

Environmental hazard (IMDG code): N/A

Bulk transport guidance (MARPOL): N/A

NMFC shipping: animal feed, 0607070-00

Additional special precautions: N/A

SECTION 15: REGULATORY INFORMATION

Any additional regional or national regulations specific to this product, not mentioned previously: N/A

SECTION 16: OTHER INFORMATION

Revision number: V1.0, prepared on 3/1/2016 FLHP

Label facsimile:

Finish Line's KOOL OUT™ POULTICE is formulated for use after any workout.

KOOL OUT™ is mild, effective and unbeatable in its easy on/off application.

RECOMMENDED USES: As an aid in the temporary relief of minor soreness and stiffness due to overexertion in horse's legs and feet.

Directions:
For tightening only: Cleanse affected area thoroughly. Apply KOOL OUT™ POULTICE liberally (1/8"-1/4" thick). Finally, cover with a thin layer of gauze or cheesecloth and standing bandage. Remove bandages and poultice after 24 hours, rinse with cold water, repeat as needed.

For minor inflammation, swelling and heat: Cleanse affected area thoroughly. Apply KOOL OUT™ POULTICE liberally (1/8"-1/4" thick). Always cover with a sheet of cotton first, then cover with plastic wrap or paper. Next, use cotton or a quilted wrap. Finally, cover with standing bandage. Remove bandages and poultice after 24 hours, rinse with cold water, repeat as needed.

As a hoof packing for minor heat and inflammation: Clean the underside of hoof thoroughly. Apply a small handful of KOOL OUT™ POULTICE to underside of hoof and cover with kraft paper.

©2011 Finish Line® Horse Products, Inc. All Rights Reserved.

Kool-Out™ Poultice

Kools and Tightens Legs

Ingredients:
A superior Aluminum silicate blended with Montmorillonites, Purified water, Boric Acid, Glycerine.

- For external equine use only.
- Avoid contact with eyes and mucous membranes.
- Store in a cool, dry (60-80°F) place.
- Keep out of reach of children.
- Not for use on horses intended for food.

100% Satisfaction Guaranteed!
Questions? Comments?
Call 800-762-4242 Mon.-Fri.
8 a.m. to 4:30 p.m. Central Time

Made in the USA by:
Finish Line® Horse Products, Inc.
Bensenville, IL 60106
www.finishlinehorse.com
Quality...A Family Tradition™

7 15401 05045 4

Quality Horse Products™
FINISH LINE®
Horse Products, Inc.

Quality...A Family Tradition™ Net Wt. 45 lbs. (20.45 kg.)