Product Name:Prozap® Fly-Die DefenseIssue Date:June 1st, 2015Replaces:New IssueSDS Number:CTL0154

# **1. PRODUCT IDENTIFICATION**

Product Name:	Prozap <sup>®</sup> Fly-Di	e Defense
Product Number(s):	1067020, 10675	20
Use:	Insecticide	
Manufacturer:	ChemTech, Ltd. 1006 North Hig Pleasantville, IA	nway 5
Manufacturer Phone:	1-800-477-8201	
Distributor:	Neogen Corpora 944 Nandino Bo Lexington, KY	
Distributor Phone:	1-800-477-8201	
<b>Emergency Phone:</b>	Medical: Spill:	1-800-498-5743 (United States and Canada) 1-800-424-9300 (United States)

## 2. HAZARDS IDENTIFICATION

Classifications:

Classifications.		
	Flammable liquids	Category 4
	Acute Toxicity, Oral:	Category 3
	Acute Toxicity, Inhalation:	Category 3
	Skin Corrosion/Irritation:	Category 4
	Serious Eye Damage/ Eye Irritation:	Category 1
	Skin Sensitization:	Category 1
	Carcinogenicity:	Category 2
	Environmental Hazards:	Category 1
	Aquatic Environment, long term hazard	Category 2
Signal Word (EPA):	DANGER	
Signal Word (OSHA):	DANGER	
Hazard Statements:	Toxic if swallowed.	
	Harmful in contact with skin	
	Causes serious eye irritation.	
	Fatal if inhaled.	
	Suspected of causing cancer.	
	Combustible liquid.	
	Very toxic to aquatic life.	
	Very toxic to aquatic life with long lasting e	effects.
	$\land$	



Hazard Symbols:

Product Name:	Prozap <sup>®</sup> Fly-Die Defense
Issue Date:	June 1 <sup>st</sup> , 2015
Replaces:	New Issue
SDS Number:	CTL0154

Precautionary Statements:	Keep away from heat/spa Do not breathe vapor. Wash thoroughly after ha Do not eat, drink or smok Use only outdoors or in a	fety precautions have been read and understood. rks/open flames/hot surfaces. No smoking. andling. te when using this product. well-ventilated area. ronment. Wear protective gloves/protective clothing/eye n. on. Immediately call a poison center/doctor. Wash with plenty of water. Remove person to fresh air and keep comfortable for breathing. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call
		a poison center/doctor. Specific treatment is urgent (see this label). Rinse mouth. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
	In case of fire:	Use appropriate media to extinguish. Collect spillage.
	Disposal:	Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international, regulations.

Other Hazard Statements: None known.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	<b>Concentration</b>
Dichlorvos (DDVP)	DDVP	62-73-7	0.465%
Piperonyl Butoxide	Piperonyl Butoxide	51-03-6	0.250%
Pyrethrins	Pyrethrins	8003-34-7	0.025%

# 4. FIRST AID MEASURES

	IL IS CALS
victim inhaled	Remove victim to fresh air and keep at rest in fortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if the substance. Induce artificial respiration with the air of a pocket mask equipped with a one-way valve or espiratory medical device. Call a physician or poison control center immediately.
Skin Contact:	Get medical advice/attention if you fell unwell. Wash off immediately with plenty of water of at least 15 minutes. Wash contaminated clothing before reuse.
Eye Contact:	Immediately flush with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. If eye irritation persists: Get medical advice/attention. Hold the eyelids apart during the flushing to ensure rinsing of the entire surface of the eyes and lids with water. If there will be a delay in getting medical attention, rise the eyes and additional 15 minutes.
Ingestion:	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If victim is conscious, administer and 8 oz. glass of water containing 2 tbsp. activated charcoal. Have person lie on their left side to slow down absorption of the ingested material. Never give anything by mouth to a victim who is unconscious or is having convulsions.

# SAFETYDATA SHEETProduct Name:Prozap® Fly-Die DefenseIssue Date:June 1st, 2015Replaces:New Issue

CTL0154

SDS Number:

Indication of immediate medical attention and special treatment needed:

This product is an Organophosphate (OP) insecticide. Do not handle the patient without the following protective equipment in place: chemical resistant gloves and apron (preferably nitrile). Remove contaminated clothing and do not reuse without thorough cleaning with detergent and hot water. Dispose of heavily contaminated clothing, including shoes, as a hazardous waste. Do not wait for laboratory confirmation to treat patients with strong clinical evidence of poisoning. In the USA and other countries, contact your local or national poison control center for more information. Establish airway and oxygenation. IV Atropine sulfate is the antidote of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, and initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion, in 250 cc of saline over a 15 to 20 minute period. If this is not practical, 2-PAM may be administered slowly by intravenous injection as a 5% solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2 -PAM will be indicated if muscle weakness has not been relieved. For infants and children the, the dose of 2-PAM is 0.25 grams. Avoid morphine, morphine, aminophylline, phenothiazine, reserpine, furosemide and ethacrynic acid. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been attained as determined by a blood test. Bathe and shampoo contaminated skin and hair. If ingested, empty stomach; activated charcoal is useful to further limit absorption. If victim is alert, Syrup of Ipecac (2 tablespoons in adults, 1 tablespoon in small children) is indicated. If symptoms such as loss of gag reflex, convulsions, or unconsciousness occur before emesis, gastric lavage should be considered following intubation with a cuffed indotracheal tube. Keep victim under observation. Keep victim warm. Symptoms may be delayed.

## General Information:

If exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Do not handle the patient without the following protective equipment in place: chemical resistant gloves an apron (preferably nitrile). Remove contaminated clothing and do not reuse without thorough cleaning with detergent and hot water. Dispose of heavily contaminated clothing, including shoes, as a hazardous waste. This product is a Cholinesterase Inhibitor. A physician should be contacted in all cases of exposure to the technical and its formulations.

## 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Water spray, water fog, foam, dry chemical powder, carbon dioxide (CO<sub>2</sub>)

Do not use water jet as an extinguisher, as this will spread the fire.

#### Specific Hazards:

The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed. Due to the solvent, this product can accumulate static charges which can cause an incendiary electrical discharge. Even empty containers may contain sufficient residues to cause an explosion.

Special protective equipment and precautions for firefighters:

Firefighters should wear full protective clothing including self contained breathing apparatus. Clean all clothing before reuse. Severely contaminated clothing cannot be adequately decontaminated, and must be disposed of as a hazardous waste. Shower with soap and water after contact with this product.

Immediately evacuate personnel to safe area. In case of fire and/or explosion do not breathe fumes. Keep upwind. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

Combustible liquid.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapors or spray mist. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protections, see section 8 of the SDS. Do not allow this material to drain into sewers/water supplies.

Methods and materials for containment and cleaning up:

Stop the flow of material, if this is without risk, to prevent entry into waterways, sewer, basements or confined areas. Dike the spilled material, where this is possible to prevent contamination of local water sources. Siphon the majority of the liquid into drums for use or disposal, depending on the circumstances. Clean the area as described for a small spill. Absorb in vermiculite, dry sand or earth and place into containers. Clean surface thoroughly to remove residual contamination. Decontaminate the area and equipment with dilute alkali or ammonia (less than 5%) and detergent. Never return spill to original containers for re-use. For waste disposal, see section 13 of SDS.

Environmental precautions:

Avoid release to the environment. Prevent further leakage of spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

## 7. HANDLING AND STORAGE

Precautions for safe handling:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from open flames, hot surfaces and sources of ignition. Do not breathe vapors or spray mist. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors in a well-ventilated area. Wear appropriate personal protective equipment. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Keep product away from food, drink, cosmetics, and tobacco products. Wash thoroughly and change clothes after handling. Wash clothes separately; do not wash heavily contaminated clothing. Dispose of heavily contaminated clothing as hazardous waste.

Conditions for safe storage, including any incompatibilities:

Store locked up. Keep away from heat, sparks and open flame. store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of SDS).

Replaces: SDS Number: New Issue

CTL0154

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING, AND USE OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

#### **Occupational Exposure Limit**

<u>Chemical Name</u> Dichlorvos (DDVP)	OSHA PEL 1 mg/m <sup>3</sup> / 0.1 mg/m <sup>3</sup> PEL	ACGIH TLV 0.1 mg/m <sup>3</sup> (inhalable fraction and vapor) TWA	OTHER 25 ppm 1 mg/m <sup>3</sup> TWA	SOURCE US NIOSH: Pocket Guide to Chemical
Piperonyl Butoxide Pyrethrins	Not Established 5 mg/m <sup>3</sup>	Not Established 5 mg/m <sup>3</sup>	Not Established Not Established	Hazards Not Applicable Not Applicable

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

#### Individual protection measures, such as personal protective equipment

Eye Contact:	Wear safety glasses with side shields (or goggles).
Skin Contact:	Gloves of nitrile rubber, PVA or Viton are recommended. Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant clothing (see label).
Inhalation:	When respiratory protection is required, or concentrations may exceed the PEL, use an approved air- purifying respirator equipped with organic vapor cartridges or canisters. It is recommended that the canisters be changed whenever breakthrough occurs or eight (8) hours of use also occurred, whichever comes first. For emergency and other conditions where the exposure limit may be greatly exceeded, use an approved positive-pressure, self-contained breathing apparatus or positive-airline with auxiliary self-contained air supply.
Thermal hazar	de

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations:

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminates.

Product Name:	Prozap <sup>®</sup> Fly-Die Defense
Issue Date:	June 1 <sup>st</sup> , 2015
Replaces:	New Issue
SDS Number:	CTL0154

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Clear, pale amber liquid
Petroleum Distillate Odor
Not Available
Not Available
Not Available
326°F (163°C) (sovent)
147°F (64°C) Tag closed cup
1.8% (77°F (25°C)) lower, 11.7% (77°F (25°C)) upper
Not Applicable
3.80E+00Hg (Solvent)
0.80 g/mL
6.6-6.7 lb/gal
Emulsifies
38.4 @ 25 C
Not Available
Not Available

# 10. STABILTY AND REACTIVITY

Reactivity:	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical Stability:	Material is stable under normal conditions
Possible Hazardous Reactions:	Hazardous polymerization does not occur.
Conditions to Avoid:	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible Materials:	Strong acids, strong oxidizing agents, strong bases.
Hazardous Decomposition:	No hazardous decomposition products are known. This product may emit hazardous fumes of hydrogen chloride, carbon oxides, and unidentified organic compounds when it is heated excessively or burned. WEAR SELF-CONTAINED BREATHING

APPARATUS when these conditions are present.

# 11. TOXICOLOGICAL INFORMATION

Health Effects Information	
Likely routes of exposure:	FATAL if INHALED Harmful in contact with skin. Causes serious eye irritation. Toxic if swallowed.
Symptoms of exposure:	This product is a Cholinesterase Inhibitor. Preexisting skin or respiratory disorders may be aggravated by exposure to components of this product. Preexisting conditions which lower cholinesterase levels increase vulnerability to cholinesterase depression. These include: (for plasma) chronic alcoholism, malnutrition, dermatomyositis, existing toxicity from exposure to carbon disulfide, benzalkonium salts, organic mercury compounds, ciguatoxins or solanines, and (for RBC) hemolytic anemia. Acute cholinesterase depression may be evidenced by headache, nausea, vomiting, diarrhea, abdominal cramps, excessive seating, salivating and tearing, constricted pupils, blurred vision, tightness in chest, weakness, muscle twitching and confusing; in extreme cases,

Product Name:	Prozap <sup>®</sup> Fly-Die Defei
Issue Date:	June 1 <sup>st</sup> , 2015
Replaces:	New Issue
SDS Number:	CTL0154

unconsciousness, convulsions, severe respiratory depression and death may occur. Product may cause slight but temporary irritation to the eyes and may cause irritation of the skin.

Severe eye irritation. Symptoms may include sting, tearing, redness, swelling, and blurred vision.

Delayed, immediate and chronic effects of exposure: Fatal if inhaled. Toxic if swallowed. Harmful in contact with skin.

Numerical Measures of Toxicity (Acute Toxicity/Irritation Studies - Finished Product)

Ingestion:	Oral LD <sub>50</sub> (Rat):	>5000 mg/kg	
Dermal:	Dermal LD <sub>50</sub> (Rabbit):	>5000 mg/kg	
Inhalation:	Inhalation LC <sub>50</sub> (Rat):	>2.07 mg/l	
Eye Contact:	Causes serious eye irritation.		
Skin Contact:	Prolonged skin contact may cause moderate irritation.		
Skin Sensitization:	Possible skin sensitizer.		

# Reproductive/Developmental Effects

This product is not expected to cause reproductive or developmental effects.

#### Chronic/Subchronic Toxicity Studies

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

Carcinogenicity

Suspected carcinogen.

<u>Chemical Name</u> Dichlorvos (CAS 62-73-7) NTP / IARC / OSHA Carcinogen

2B

Other Toxicity Information

Not Available.

Toxicity of Other Components

Not Applicable

Target Organs

Active Ingredients

Potential neurotoxicity as an organophosphate.

If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death.

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

#### Inactive Ingredients

Not Applicable

## 12. ECOLOGICAL INFORMATION

Very toxic to aquatic life with long lasting effects. This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water when disposing of equipment washwaters or wastes.

Product Name:	Prozap <sup>®</sup> Fly-Die Defense
Issue Date:	June 1 <sup>st</sup> , 2015
Replaces:	New Issue
SDS Number:	CTL0154

## 13. DISPOSAL CONSIDERATIONS

Disposal:

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents /container in accordance with local/regional/national/international regulations.

## 14. TRANSPORT INFORMATION

#### DOT Classification

DOT Classification	
Proper Shipping Name:	Insecticides or Fungicides, Insect or Animal Repellents, Other than Poison (NMFC
	102120, Class 60)
Hazard Class:	Not Applicable
UN Number:	Not Applicable
Packing Group:	Not Applicable
Label:	Not Applicable
Special Instructions:	Not Applicable
IMDG Classification	
Proper Shipping Name:	Insecticides or Fungicides, Insect or Animal Repellents, Other than Poison (NMFC
	102120, Class 60)
Hazard Class:	Not Applicable
UN Number:	Not Applicable
Packing Group:	Not Applicable
Label:	Not Applicable
Special Instructions:	Not Applicable
IATA Classification	
Proper Shipping Name:	Insecticides or Fungicides, Insect or Animal Repellents, Other than Poison (NMFC
	102120, Class 60)
Hazard Class:	Not Applicable
UN Number:	Not Applicable
Packing Group:	Not Applicable
Label:	Not Applicable
Special Instructions:	Not Applicable
Canadian Classification	
Proper Shipping Name:	Insecticides or Fungicides, Insect or Animal Repellents, Other than Poison (NMFC
	102120, Class 60)
Hazard Class:	Not Applicable
UN Number:	Not Applicable
Packing Group:	Not Applicable
Label:	Not Applicable
Special Instructions:	Not Applicable

## **15. REGULATORY INFORMATION**

#### Pesticide Registration

SDS Number:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheers and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

EPA Registration Number:	47000-108		
EPA SARA Title III Classification	Immediate hazard, delayed hazard, fire hazard		
Section 311/312 Hazard Classes:	No		
Section 313 Toxic Chemicals:	Dichlorvos (DDVP, CAS 62-73-7)		
California Proposition 65 :	This product contains Dichlorvos (DDVP, CAS 62-73-7), a chemicals known in the State of California to cause cancer.		
CERLA/SARA 302 Reportable Quantity (RQ) :	Pyrethrins CAS No. 8003-34-7 1 p		10 pounds 1 pound 1%
RCRA Hazardous Waste Classification (40 CFR 261):	Not listed		
TSCA Status:	Exempt from TSCA, subject to FIFRA		

#### **OTHER INFORMATION** 16.

NFPA Hazard Rat	ings	HMIS Hazard Rat	tings_	0 - Minimal
Health:	2	Health:	2	1 - Slight
Flammability:	2	Flammability:	2	2 - Moderate
Instability:	0	Reactivity:	0	3 - Serious
-		Other:		4 - Extreme
				. ~ .

\* - Chronic

#### For Non-Emergency Questions About This Product Call: 1-800-621-8829 Neogen Corporation Lexington, KY

#### Prozap® is a Registered Trademark of ChemTech, Ltd.

ALTHOUGH THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN (HEREINAFTER "INFORMATION") ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE CORRECT, CHEMTECH, LTD., THE MANUFACTURER OR THE SELLER MAKES NO REPRESENTATIONS AS TO THE COMPLETENESS OR ACCURACY THEREOF. INFORMATION IS SUPPLIED UPON THE CONDITION THAT THE PERSONS RECEIVING IT WILL MAKE THEIR OWN DETERMINATION AS TO ITS SUITABILITY FOR THEIR PURPOSES PRIOR TO USE.

THE PRODUCT COVERED BY THIS INFORMATION SHEET IS FURNISHED "AS IS" BY CHEMTECH, LTD., THE MANUFACTURER OR THE SELLER, AND IS SUBJECT ONLY TO THE WARRANTIES, IF ANY, THAT APPEAR ON THE PRODUCT'S LABEL OR ARE OTHERWISE EXPRESSLY PROVIDED HEREIN.

EXCEPT AS EXPRESSLY PROVIDED ON THE PRODUCT'S LABEL OR OTHERWISE PROVIDED HEREIN, NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, ARE MADE BY CHEMTECH, LTD., THE MANUFACTURER OR THE SELLER WITH REGARD TO THE PRODUCT OR USE OF THE PRODUCT, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.

EXCEPT AS EXPRESSLY STATED HEREIN, CHEMTECH, LTD., THE MANUFACTURER OR THE SELLER MAKES NO WARRANTY OF RESULTS TO BE OBTAINED BY USE OF THE PRODUCT COVERED BY THIS INFORMATION. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND THE TOTAL LIABILITY OF CHEMTECH, LTD., THE MANUFACTURER OR THE SELLER, SHALL BE LIMITED TO DAMAGES NOT EXCEEDING THE COST OF THE PRODUCT. NO AGENT OR EMPLOYEE OF CHEMTECH, LTD., THE MANUFACTURER OR THE SELLER IS AUTHORIZED TO AMEND THE TERMS OF THIS WARRANTY DISCLAIMER OR THE PRODUCT'S LABEL OR TO MAKE A REPRESENTATION OR RECOMMENDATION DIFFERENT FROM OR INCONSISTENT WITH THE LABEL OF THIS PRODUCT.

IN NO EVENT SHALL CHEMTECH, LTD., THE MANUFACTURER OR THE SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES AND THE BUYER AND USER WAIVE ANY RIGHT THEY MAY HAVE TO SUCH DAMAGES.